

## RCA AUDIO CONNECTORS

### RCA AUDIO CONNECTORS KIT

RCA audio connectors, and their color bands, are included in this heavy duty plastic kit. Each kit contains 10 of each of the connector part numbers and 100 of each of the color band part numbers listed below. When the connectors and color bands run out, the parts are easily replaced by ordering each individually or in bulk packages of 10 (add “-BU” to end of order for bulk packages. (See pages 184-186 for more information)).



Fig.1

RCA Audio Connectors Kit Part No.: **65-650** 2.8 mm Kit  
**65-651** 4.0 mm Kit  
**65-652** 6.0 mm Kit  
**65-653** 8.0 mm Kit\*\*

### RCA Audio Connectors Kit

Retail Part No.	Bulk Part No.	Figure No.	Type 1 Color Bands	Type 2 Color Bands	RCA Epitome Audio Connectors (Good)	RCA Epitome-Pro Audio Connectors (Better)			RCA Epitome-Pro + Audio Connectors (Best)
65-650 or 65-651 or 65-652 or 65-653		1	65-630-BK 65-630-BL 65-630-GN 65-630-RD 65-630-WH 65-630-YL 65-630-VL	65-631-BK 65-631-BL 65-631-GN 65-631-RD 65-631-WH 65-631-YL 65-631-VL	30-1230** 30-1231** 30-1232** 30-534** 30-534-3**	65-632-X-XX 65-633-X-XX 65-634-X-XX 65-635-X-XX	65-636-X-XX 65-637-X-XX 65-638-X-XX 65-639-X-XX	65-640-X-XX 65-642-X-XX 65-643-X-XX 65-644-X-XX	65-645-X-XX 65-646-X-XX 65-647-X-XX 65-648-X-XX
			Quantities of 100 in each kit.	Quantities of 100 in each kit.	Quantities of 10 in each kit.	Quantities of 10 in each kit			Quantities of 10 in each kit

Notes: XX= without Color Band; for Colored Band Order, Replace “XX” with “BK” (Black), “BL” (Blue), “GN” (Green), “RD” (Red), “WH” (White), “YL” (Yellow), “VL” (Violet) (Example = 65-232-2-RD) \*\*RCA Epitome Audio Connectors (Good) only come in 8.0 mm Kits.

### RCA EPITOME AUDIO CONNECTORS (GOOD)

Epitome RCA connectors have all metal shells to shield the cable ends from EMI/RFI and provide a good grip for plugging and unplugging the connectors. All GC Electronics Epitome RCA connectors are Gold\* Plated for corrosion resistance and low electrical resistance and are soldered\*\* to the wire.

Note: \* With the exception of the 30-534 which is nickel plated.

\*\* (compatible leaded and some Lead Free Solders for RoHS compliance)



Fig.2

Fig.3

Fig.4

Fig.5

### RCA Epitome Audio Connectors (Good)

Retail Part No.	Bulk Part No.	Figure No.	Outside Color	Outer Diameter Wire Size
30-1230		2	Platinum	8 mm
30-1231		3	Black	8 mm
30-1232		4	Red	8 mm
30-534	30-534-BU	5	Nickel	8 mm
30-534-3		6	Gold	8 mm

For the latest information—[www.gcelectronics.com](http://www.gcelectronics.com)  
 All quantities are single; BU's are packages of 10 Unless otherwise noted.

## RCA AUDIO CONNECTORS (Cont.)

### RCA EPITOME-PRO AUDIO CONNECTORS (BETTER)

Epitome Pro Connectors like the Epitome connectors have all metal shells for EMI/RFI protection and are Gold Plated for corrosion resistance and low electrical resistance and are soldered\*\* to the wire. The GC Electronics Epitome Pro Connectors also have a split center contact that spreads the center contact apart for better connector to connector connection.

Note: \*\* (compatible leaded and some Lead Free Solders for RoHS compliance)



Fig.1



Fig.2



Fig.3



Fig.4



Fig.5



Fig.6



Fig.7



Fig.8



Fig.9



Fig.10



Fig.11



Fig.12

### RCA Epitome-Pro Audio Connectors (Better)

Retail Part No.	Bulk Part No.	Figure No.	Band Type	Outer Diameter Wire Size
65-632-2-XX	65-632-2-XX-BU	1	1	2.8mm
65-632-4-XX	65-632-4-XX-BU	1	1	4mm
65-632-6-XX	65-632-6-XX-BU	1	1	6mm
65-632-8-XX	65-632-8-XX-BU	1	1	8mm
65-633-2-XX	65-633-2-XX-BU	2	1	2.8mm
65-633-4-XX	65-633-4-XX-BU	2	1	4mm
65-633-6-XX	65-633-6-XX-BU	2	1	6mm
65-633-8-XX	65-633-8-XX-BU	2	1	8mm
65-634-2-XX	65-634-2-XX-BU	3	1	2.8mm
65-634-4-XX	65-634-4-XX-BU	3	1	4mm
65-634-6-XX	65-634-6-XX-BU	3	1	6mm
65-635-2-XX	65-635-2-XX-BU	4	1	2.8mm
65-635-4-XX	65-635-4-XX-BU	4	1	4mm
65-635-6-XX	65-635-6-XX-BU	4	1	6mm
65-635-8-XX	65-635-8-XX-BU	4	1	8mm
65-636-2-XX	65-636-2-XX-BU	5	1	2.8mm
65-636-4-XX	65-636-4-XX-BU	5	1	4mm
65-636-6-XX	65-636-6-XX-BU	5	1	6mm
65-636-8-XX	65-636-8-XX-BU	5	1	8mm
65-637-2-XX	65-637-2-XX-BU	6	1	2.8mm
65-637-4-XX	65-637-4-XX-BU	6	1	4mm
65-637-6-XX	65-637-6-XX-BU	6	1	6mm

### RCA Epitome-Pro Audio Connectors (Better) (Cont.)

Retail Part No.	Bulk Part No.	Figure No.	Band Type	Outer Diameter Wire Size
65-638-2-XX	65-638-2-XX-BU	7	1	2.8mm
65-638-4-XX	65-638-4-XX-BU	7	1	4mm
65-638-6-XX	65-638-6-XX-BU	7	1	6mm
65-638-8-XX	65-638-8-XX-BU	7	1	8mm
65-639-2-XX	65-639-2-XX-BU	8	1	2.8mm
65-639-4-XX	65-639-4-XX-BU	8	1	4mm
65-639-6-XX	65-639-6-XX-BU	8	1	6mm
65-639-8-XX	65-639-8-XX-BU	8	1	8mm
65-640-2-XX	65-640-2-XX-BU	9	1	2.8mm
65-640-4-XX	65-640-4-XX-BU	9	1	4mm
65-640-6-XX	65-640-6-XX-BU	9	1	6mm
65-640-8-XX	65-640-8-XX-BU	9	1	8mm
65-642-2-XX	65-642-2-XX-BU	10	2	2.8mm
65-642-4-XX	65-642-4-XX-BU	10	2	4mm
65-642-6-XX	65-642-6-XX-BU	10	2	6mm
65-643-2-XX	65-643-2-XX-BU	11	2	2.8mm
65-643-4-XX	65-643-4-XX-BU	11	2	4mm
65-643-6-XX	65-643-6-XX-BU	11	2	6mm
65-643-8-XX	65-643-8-XX-BU	11	2	8mm
65-644-2-XX	65-644-2-XX-BU	12	1 & 2	2.8mm
65-644-4-XX	65-644-4-XX-BU	12	1 & 2	4mm
65-644-6-XX	65-644-6-XX-BU	12	1 & 2	6mm
65-644-8-XX	65-644-8-XX-BU	12	1 & 2	8mm

Notes: XX= without Color Band; for Colored Band Order, Replace "XX" with "BK" (Black), "BL" (Blue), "GN" (Green), "RD" (Red), "WH" (White), "YL" (Yellow), "VL" (Violet) (Example = 65-232-2-RD)

## RCA AUDIO CONNECTORS (Cont.)

### RCA EPITOME-PRO + AUDIO CONNECTORS (BEST)

Epitome Pro Plus Connectors Like the Epitome and Epitome Pro RCA Connectors have all metal shells for EMI/RFI protection and are Gold Plated for corrosion resistance and low electrical resistance and are soldered\*\* to the wire. The GC Electronics Epitome Pro Plus like the Epitome Pro Connectors also have a split center contact that spreads the center contact apart for better connector to connector connection. The Epitome Pro Plus connectors also have a twist lock\* mechanism that locks the male plug to the female connector. Note: \*\* (compatible leaded and some Lead Free Solders for RoHS compliance)



### RCA Epitome-Pro + Audio Connectors (Best)

Retail Part No.	Bulk Part No.	Figure No.	Band Type	Outer Diameter Wire Size
65-645-2-XX	65-645-2-XX-BU	1	2	2.8mm
65-645-4-XX	65-645-4-XX-BU	1	2	4mm
65-645-6-XX	65-645-6-XX-BU	1	2	6mm
65-645-8-XX	65-645-8-XX-BU	1	2	8mm
65-646-2-XX	65-646-2-XX-BU	2	1	2.8mm
65-646-4-XX	65-646-4-XX-BU	2	1	4mm
65-646-6-XX	65-646-6-XX-BU	2	1	6mm
65-646-8-XX	65-646-8-XX-BU	2	1	8mm


### RCA Epitome-Pro + Audio Connectors (Best) (Cont.)

Retail Part No.	Bulk Part No.	Figure No.	Band Type	Outer Diameter Wire Size
65-647-2-XX	65-647-2-XX-BU	3	1	2.8mm
65-647-4-XX	65-647-4-XX-BU	3	1	4mm
65-647-6-XX	65-647-6-XX-BU	3	1	6mm
65-647-8-XX	65-647-8-XX-BU	3	1	8mm
65-648-2-XX	65-648-2-XX-BU	4	1	2.8mm
65-648-4-XX	65-648-4-XX-BU	4	1	4mm
65-648-6-XX	65-648-6-XX-BU	4	1	6mm
65-648-8-XX	65-648-8-XX-BU	4	1	8mm

Notes: XX= without Color Band; for Colored Band Order, Replace "XX" with "BK" (Black), "BL" (Blue), "GN" (Green), "RD" (Red), "WH" (White), "YL" (Yellow), "VL" (Violet) (Example = 65-232-2-RD) \*65-645 Does Not Have Twist Lock Feature

### RCA COLOR BANDS

GC Electronics offer a wide array of color bands for to fit GC Electronic RCA plugs. The color Bands allow the custom cable builder to build a custom cable using the correct color for each connection. The Type1 Bands are thin for that minimalist look while the Type2 bands are wide to aid in handling of the cables.



### RCA Plug Color Bands–Type 1

Retail Part No.	Bulk Part No.	Fig. No.	Description	Band Color
65-630-BK	65-630-BK-BU	5	Color Bands Type 1–Black	Black
65-630-BL	65-630-BL-BU	6	Color Bands Type 1–Blue	Blue
65-630-GN	65-630-GN-BU	7	Color Bands Type 1–Green	Green
65-630-RD	65-630-RD-BU	8	Color Bands Type 1–Red	Red
65-630-WH	65-630-WH-BU	9	Color Bands Type 1–White	White
65-630-YL	65-630-YL-BU	10	Color Bands Type 1–Yellow	Yellow
65-630-VL	65-630-VL-BU	11	Color Bands Type 1–Violet	Violet

### RCA Plug Color Bands–Type 2

Retail Part No.	Bulk Part No.	Fig. No.	Description	Band Color
65-631-BK	65-631-BK-BU	12	Color Bands Type 2–Black	Black
65-631-BL	65-631-BL-BU	13	Color Bands Type 2–Blue	Blue
65-631-GN	65-631-GN-BU	14	Color Bands Type 2–Green	Green
65-631-RD	65-631-RD-BU	15	Color Bands Type 2–Red	Red
65-631-WH	65-631-WH-BU	16	Color Bands Type 2– White	White
65-631-YL	65-631-YL-BU	17	Color Bands Type 2–Yellow	Yellow
65-631-VL	65-631-VL-BU	18	Color Bands Type 2–Violet	Violet

## G&H AUDIO CONNECTORS

### G&H AUDIO CONNECTORS

The Epitome-Pro+ line is proud to introduce the very finest 1/4" Mono and Stereo Phone Jacks available. By eliminating a series of friction-fitted low conductive metals and instead designing a solid copper core, the signal is kept at its purest. The result is maximum signal transfer and a drastic reduction of pops, hisses, and sound coloration. To top off a great performance, these plugs are finished in your choice of fine Oak, or rare Cocobolo wood. These wooden sleeves are available with a smooth or grooved surface. All conductive surfaces are 24 CT. gold plated. Give your Headphones, microphones and mixers the performance and aesthetics they deserve!






Fig.1



Fig.2



Fig.3



Fig.4



Fig.5



Fig.6



Fig.7



Fig.8

### G & H Audio Connectors

Retail Part No.	Bulk Part No.	Figure No.	Description	Color	Quantity
BF2P-W1CGG	BF2P-W1CGG-BU	1	1/4" Phone Plug, Mono, Smooth-Gold	Cocobolo	1 Each/10 Pack
BF3PM-W1CGGG	BF3PM-W1CGGG-BU	2	1/4" Phone Plug, Stereo, Smooth-Gold	Cocobolo	1 Each/10 Pack
BF2P-W1OGG	BF2P-W1OGG-BU	3	1/4" Phone Plug, Mono, Smooth-Gold	Oak	1 Each/10 Pack
BF3PM-W1OGGG	BF3PM-W1OGGG-BU	4	1/4" Phone Plug, Stereo, Smooth-Gold	Oak	1 Each/10 Pack
BF2P-W2CGG	BF2P-W2CGG-BU	5	1/4" Phone Plug, Mono, Grooved-Gold	Cocobolo	1 Each/10 Pack
BF3PM-W2CGGG	BF3PM-W2CGGG-BU	6	1/4" Phone Plug, Stereo, Grooved-Gold	Cocobolo	1 Each/10 Pack
BF2P-W2OGG	BF2P-W2OGG-BU	7	1/4" Phone Plug, Mono, Grooved-Gold	Oak	1 Each/10 Pack
BF3PM-W2OGGG	BF3PM-W2OGGG-BU	8	1/4" Phone Plug, Stereo, Grooved-Gold	Oak	1 Each/10 Pack

## POWERFLEX™ AUDIO CONNECTORS



Epitome-Pro (Better)  
Fig.1

Epitome-Pro + (Best)  
Fig.2

Epitome-Pro (Better)  
Fig.3

Epitome-Pro + (Best)  
Fig.4

Epitome-Pro (Better)  
Fig.5

Epitome-Pro (Better)  
Fig.6

Epitome-Pro + (Best)  
Fig.7

Epitome-Pro + (Best)  
Fig.8

Epitome-Pro + (Best)  
Fig.9

Epitome-Pro + (Best)  
Fig.10

Epitome-Pro (Better)  
Fig.11

Epitome (Good)  
Fig.12

Epitome-Pro (Better)  
Fig.13

Epitome (Good)  
Fig.14

### PowerFlex™ Audio Connectors

Retail Part No.	Bulk Part No.	Fig. No.	Description	Features
30-1203		1	Epitome-Pro Spade Speaker Terminals-Gold	Crimp or Solder Spade Lugs
30-1200		2	Epitome-Pro + Spade Speaker Terminals-Gold	Compression (Solderless) Spade Lugs
30-1204		3	Epitome-Pro Pins-Gold	Crimp or Solder Flexible Pin, Color-coded Insulators
30-1205		4	Epitome-Pro + Pin-Gold	Compression (Solderless) Pin Plugs
30-1208		5	Epitome Banana Plug-Gold	Crimp or Solder Banana Plugs, Color-coded Insulators
30-1210		6	Epitome-Pro Banana Plug-Gold	Compression (Solderless) Banana Plugs
30-1211	30-1211-BU	7	Epitome-Pro + Banana Plug-Gold	Compression (Solderless) 9-Pin Spring Banana Plugs
SBN-SWC-G	SBN-SWC-G-BU	8	Short Wood Banana Plug-Gold	9 Springs, More Contact Surface, Terminates 8 AWG-1/2" Diameter Wire
SBN-LWC-G	SBN-LWC-G-BU	9	Long Wood Banana Plug-Gold	9 Springs, More Contact Surface, Terminates 8 AWG-1/2" Diameter Wire
BBN-BG	BBN-BG-BU	10	Epitome-Pro + Dual Banana Plugs, Black-Gold	30Amp Rating, Color-coded, Industry Standard Ground Tab on Neg. (-) Side
BBN-BLG	BBN-BLG-BU	10	Epitome-Pro + Dual Banana Plugs, Blue-Gold	30Amp Rating, Color-coded, Industry Standard Ground Tab on Neg. (-) Side
BBN-BRG	BBN-BRG-BU	10	Epitome-Pro + Dual Banana Plugs, Brown-Gold	30Amp Rating, Color-coded, Industry Standard Ground Tab on Neg. (-) Side
BBN-GG	BBN-GG-BU	10	Epitome-Pro + Dual Banana Plugs, Green-Gold	30Amp Rating, Color-coded, Industry Standard Ground Tab on Neg. (-) Side
BBN-GRG	BBN-GRG-BU	10	Epitome-Pro + Dual Banana Plugs, Gray-Gold	30Amp Rating, Color-coded, Industry Standard Ground Tab on Neg. (-) Side
BBN-OG	BBN-OG-BU	10	Epitome-Pro + Dual Banana Plugs, Orange-Gold	30Amp Rating, Color-coded, Industry Standard Ground Tab on Neg. (-) Side
BBN-RG	BBN-RG-BU	10	Epitome-Pro + Dual Banana Plugs, Red-Gold	30Amp Rating, Color-coded, Industry Standard Ground Tab on Neg. (-) Side
BBN-WG	BBN-WG-BU	10	Epitome-Pro + Dual Banana Plugs, White-Gold	30Amp Rating, Color-coded, Industry Standard Ground Tab on Neg. (-) Side
30-1212		11	Epitome-Pro RCA Powerflex Jacks-Gold	RCA Jack to RCA Jack-Powerflex
30-1213		12	Epitome RCA Powerflex Plugs-Gold	RCA Plug to RCA Plug -Powerflex
30-1215		13	Epitome-Pro RCA Powerflex Plug/Jacks-Gold	RCA Plug to Dual RCA Jacks-Powerflex
30-474		14	Epitome RCA Powerflex 90° Plug/Jack-Gold	Right Angle RCA Plug to RCA Jack-Powerflex