

FLUSH WALL PLATE

Single Jack

Modular flush wall jack assembly allows flush-mounted connection of plug-ended modular line cords. Ideal for initial installation or conversion from existing wall receptacles.

Non-UL	UL/CUL	Decor	Color	Conductor
30-9747	30-8743		Light Almond	4
30-9747-BU	30-8743-BU	30-9764-BU	Light Almond	4
30-9707	30-8747	30-9767	Ivory	4
30-9707-BU	30-8747-BU	30-9767-BU	Ivory	4
30-9707-25			Ivory	4
30-9701			Ivory w/Cover	4
30-9701-BU			Ivory w/Cover	4
30-9717	30-8749	30-9777	White	4
30-9717-BU	30-8749-BU	30-9777-BU	White	4
30-9717-25			White	4
	30-8767		Ivory	6
	30-8767-BU		Ivory	6
	30-8769	30-9790	White	6
	30-8769-BU	30-9790-BU	White	6
	30-8763		Light Almond	6
	30-8763-BU		Light Almond	6
	30-8787		Ivory	8
	30-8787-BU		Ivory	8
	30-8789	30-9795	White	8
	30-8789-BU	30-9795-BU	White	8
	30-8783-BU		Light Almond	8

Notes:

4 Conductor Product Complies with USOC numbers RJ11C, RJ13C, RJ1DC
 6 or 8 Conductor Product Complies with USOC number RJ12C, RJ18C, RJ19C, RJ25C
 -25=25 Pieces per Bulk Package

Standard



Décor

Dual Jack

Can be flush mounted in wall to eliminate external wires. Two modular jacks permit use of two telephones at same location or one telephone and answering machine or other related equipment. Two solderless jacks can be connected independently or in series, utilizing one or two lines.

Non-UL	UL/CUL	Decor	Color	Conductor
30-9703	30-8447	30-9797	Ivory	4
30-9703-BU	30-8447-BU	30-9797-BU	Ivory	4
30-9713	30-8449	30-9798	White	4
30-9713-BU	30-8449-BU	30-9798-BU	White	4
30-9743	30-8443		Light Almond	4
30-9743-BU	30-8443-BU		Light Almond	4
	30-8667		Ivory	6
	30-8667-BU		Ivory	6
	30-8663		Light Almond	6
	30-8663-BU		Light Almond	6
	30-8669	30-9792	White	6
	30-8669-BU	30-9792-BU	White	6
	30-8807		Ivory	8
	30-8807-BU		Ivory	8
	30-8803		Light Almond	8
	30-8803-BU		Light Almond	8
	30-8809	30-9796	White	8
	30-8809-BU	30-9796-BU	White	8

Notes:

4 Conductor Product Complies with USOC numbers RJ11C, RJ13C, RJ1DC
 6 or 8 Conductor Product Complies with USOC number RJ12C, RJ18C, RJ19C, RJ25C

Standard



Décor

TELEPHONE



MID-SIZE FLUSH WALL PLATE

Single Jack

Mid-size flush wall jack assembly allows connection of plug ended modular line cords. Ideal for installation where opening is larger than normal.

Non-UL	UL	Color	Conductor
30-9726	30-8739	White	4
30-9726-BU	30-8739-BU	White	4
30-9729	30-8737	Ivory	4
30-9729-BU	30-8737-BU	Ivory	4
	30-8733	Light Almond	4
30-9722-BU	30-8733-BU	Light Almond	4



Dual Jack

Can be flush mounted in wall to eliminate external wires. Two modular jacks permit use of two telephones at the same location, or one telephone and answering machine, or other related equipment. Two solderless jacks can be connected independently or in series utilizing one or two lines.

Non-UL	UL	Color	Conductor
	30-8759-BU	White	4
	30-8757-BU	Ivory	4
	30-8753-BU	Light Almond	4



Telephone/Coax

Specially designed wall plate allows hookup of both modular telephone wire and coax cable from one location. Complies with FCC part 68. Complies with UL Standard 1863 and Article 800-51 of the National Electrical Code.

Non-UL	UL	Color	Conductor
	30-8353-BU	Light Almond	4
	30-8357-BU	Ivory	4
	30-8359-BU	White	4



TELEPHONE

WALL MOUNT PHONE JACK

Quick Connect Telephone Jack

Use when mounting wall-type telephone, quick connect posts ensure easy wall-mount phone installation.

Non-UL	UL/CUL	Color	Conductor
30-9724		S/S Punch Down	4
30-9724-BU		S/S Punch Down	4
30-9723		S/S Screw	4
30-9723-BU		S/S Screw	4
30-9744	30-8703	Light Almond	4
30-9744-BU	30-8703-BU	Light Almond	4
30-9704	30-8704	Ivory	4
30-9704-BU	30-8704-BU	Ivory	4
30-9714	30-8709	White	4
30-9714-BU	30-8709-BU	White	4
	30-8781	Ivory	6
	30-8781-BU	Ivory	6
	30-8782	White	6
	30-8782-BU	White	6



Front/Dual Side Jacks

Designed for wall-mounting phones, this unique device offers dual side jacks which accommodate hook-up of answering machine, auto dialers or extension phones.

Non-UL	Color	Conductor
30-9705	Ivory	4
30-9705-BU	Ivory	4
30-9745	White	4
30-9745-BU	White	4
30-9755-BU	Light Almond	4



Telephone/Coax

Specially designed wallplate allows hookup of both modular telephone wire and coax cable from one location.

Non-UL	UL	Decor	Color	Conductor
30-9732		30-9778	Ivory	4
30-9732-BU		30-9778-BU	Ivory	4
	30-8047-BU		Ivory	4
30-9733		30-9779	White	4
30-9733-BU		30-9779-BU	White	4
	30-8049-BU		White	4
30-9731-BU	30-8043-BU		Light Almond	4
	30-8063-BU		Light Almond	6
	30-8067-BU		Ivory	6
	30-8069-BU		White	6



TELEPHONE



COMBINATION WALL PLATE (Cont.)

Telephone/Dual Coax

Specially designed wall plate allows hookup of both modular telephone wire and coax cable from one location. Complies with FCC part 68. Complies with UL Standard 1863 and Article 800-51 of the National Electrical Code.

UL	Color	Conductor
30-8243-BU	Light Almond	4
30-8247-BU	Ivory	4
30-8249-BU	White	4



Electrical Coax/Telephone

Combines for convenience the installation of an electrical, telephone, and coax wall plate into one plate.

Non-UL	Color	Conductor
30-9715	Ivory	4
30-9715-BU	Ivory	4
30-9735	White	4
30-9735-BU	White	4



Electrical Dual Telephone

Combines for convenience the installation of an electrical and dual telephone jack into one plate.

Non-UL	Color	Conductor
30-9718	Ivory	4
30-9718-BU	Ivory	4



DUAL FLOOR JACK

The floor jack contains duplex jacks and a center tapped mounting hole. Two modular jacks permit use of two telephones at the same location, one telephone and an answering machine or other related equipment. Spring loaded protective doors cover jacks.

Non-UL	Color	Conductor
30-9711-BU	Ivory	4

Notes: Complies with USOC numbers RJ11C, RJ12C, RJ13C, RJ1DC



Non-UL	Color	Conductor
30-9702	Ivory	4
30-9702-BU	Ivory	4
30-9721	White	4
30-9721-BU	White	4



TELEPHONE

For the latest information—www.gcelectronics.com

All quantities are single; BU's are packages of 10 Unless otherwise noted.

MODULAR SURFACE JACK

Single Telephone

Modular Surface Jack mounts to baseboard or wall. Screw terminals for easy installation.

Non-UL	UL/CUL	Color	Conductor
30-9746	30-8603	Light Almond	4
30-9746-BU	30-8603-BU	Light Almond	4
30-9604	30-8607	Ivory	4
30-9604-BU	30-8607-BU	Ivory	4
30-9604-50		Ivory	4
30-9603		Ivory	4
30-9603-BU		Ivory	4
30-9614	30-8609	White	4
30-9614-BU	30-8609-BU	White	4
30-9614-50		White	4
30-9624		Brown	4
	30-8627	Ivory	6
	30-8627-BU	Ivory	6
	30-8629	White	6
	30-8629-BU	White	6
	30-8623	Light Almond	6
	30-8623-BU	Light Almond	6
	30-8687	Ivory	8
	30-8687-BU	Ivory	8
	30-8689	White	8
	30-8689-BU	White	8
	30-8683	Light Almond	8
	30-8683-BU	Light Almond	8



Dual Telephone

Surface mounts to baseboard or wall. Dual jacks for hook-up of telephone and answering machine.

Non-UL	UL	UL/CUL	Color	Conductor
30-9605		30-8617	Ivory	4
30-9605-BU		30-8617-BU	Ivory	4
		30-8613	Light Almond	4
		30-8613-BU	Light Almond	4
		30-8619	White	4
		30-8619-BU	White	4
	30-8633-BU		Light Almond	6
	30-8637-BU		Ivory	6
	30-8639-BU		White	6
	30-8653-BU		Light Almond	8
	30-8659-BU		White	8
	30-8657		Ivory	8
	30-8657-BU		Ivory	8



TELEPHONE



MODULAR FLUSH JACK

Round Flush Jack with mounting bracket attached. Mounts in any standard electrical box.

Non-UL	Color	Conductor
30-9608	Ivory	4
30-9608-BU	Ivory	4

Notes: Complies with USOC numbers RJ11C, RJ13C, RJ1DC



VOICE CONNECTING BOX

For alarm reporting devices. Equipped with 8-position, non-keyed modular jack with shorting bar. Mounts to flat surface.

Non-UL	Color	Conductor
30-9805	Ivory	8



CRIMP TOOLS/TESTER



Retail Part No.	Bulk Part No.	Figure Number	Description	Features
30-9951	30-9951-BU	1	Modular Crimp Tool	Installs 4-Conductor Modular Plugs
12-001		2	Professional Telco® Crimping Tool	8 Contact Cut, Strip & Crimp Telco/Telephone Wire
12-004		2	Professional Telco® Crimping Tool	4/6 Contact Cut, Strip & Crimp Telco/Telephone Wire
12-005		2	Professional Telco® Crimping Tool	4 Contact Cut, Strip & Crimp Telco/Telephone Wire
12-002		3	Modular Handset Dura Crimp Tool	Crimps 4 & 6 Contact Modular Plugs & 4 Position Handset Plugs
30-9955		4	Modular Crimp Tool	Installs 10-Conductor Modular Plugs
12-2475		5	Dual Cut and Crimp Tool	Cuts & Crimps 8P8C/RJ-45, 6P6C/RJ-12 & 4P4C;RJ 11 Plugs
30-9451		6	Tele-Check Modular Line Tester	Analyzes Modular Phone Line Problems

TELEPHONE

For the latest information—www.gcelectronics.com

All quantities are single; BU's are packages of 10 Unless otherwise noted.